

Masterworks

ORDER GUIDE





The Masterworks Concept

Custom Drums. There seems to be quite a few companies making them these days. Most buy shells from the same manufacturer, mount hardware they bought from some place else, and apply a custom paint job. The end result, after a lot of hype, is a custom drum set...or is it?

Masterworks hopes to change the way drummers view a custom set of drums. At Pearl, the word custom holds quite a bit more reverence. It means we made it, not assembled it. It means everything about the kit is made by hand, one piece at a time, by a Pearl master craftsman. From hand selecting the finest woods and painstakingly forming the shell, to die casting and plating the hardware that mounts to it, drums bearing the Masterworks badge are one of a kind ultimate acoustic instruments, hand made to your specifications,

with the expertise and quality no other company can match. Masterworks is about choices for the discriminating drummer. Choices like North American Maple, Scandinavian Birch and African Mahogany. Three highly prized woods for shell composition, not just the same shell everyone else custom paints. Choices like four shell thickness options, hardware plating options and full control over sizes and unlimited finishes. If this is starting to sound different from what most companies call a custom drum set, then you see the concept behind Masterworks. At Pearl, we are dedicated to producing the finest drums in the world at our new Masterworks Custom Shop facility. Hand Made. Completely Custom. When you're ready...we hope to build a set for you.

The Difference Starts with the Shell

Masterworks gives you a choice of three prized woods, and four thickness and ply options for shell composition. No one else offers you this unprecedented control over the sound of your drums. When you think about it, how much different can a drum sound from manufacturer to manufacturer, when they all use practically the same shell. With Masterworks, your kit sounds like your kit. With this wide range of options, Masterworks drums will be as individual as the players that play them. But options alone are not what separates Masterworks

from the others. Pearl's patented Heat Compression Shell Molding Process, or HC/sms as it's known, takes these outstanding hand selected wood plies, adds an exclusive adhesive formulation, extreme heat and constant cylindrical pressure, and produces the finest, most consistent drum shells on the market today. Consistency. By controlling every aspect of the shell manufacturing process, there's simply no need to tap the side of the shell and give it a note. If you have variation, you don't have consistency.



Wood and Thickness Options

Maple is a favorite wood used for drum shell construction. Its evenly distributed lows, highs and mid range frequencies makes it ideal for all around applications. Our maple is from North America and like all the woods we offer, it is hand-selected to meet Pearl's stringent requirements for proper density, age, and consistency of grain and color.


Birch drums have built a cult like following over the years due to their naturally "EQed" tone. Our Scandinavian Birch shells feature slightly boosted high frequencies, smooth mids, and a good low end punch. Drums made of this wood are ideal for applications requiring extra presence and cut.

Mahogany was the industry standard shell material for over fifty years and one listen will tell you why. Few companies today offer this excellent wood for drum shell manufacture. Our African Mahogany is extremely rich in low end frequencies, with beautifully smooth mids and a slight roll-off in the higher frequencies. Without question, if your main requirements are "bottom" and punch, African Mahogany should be your wood of choice.


The number of plies effects how readily energy is transferred from the heads to the shell. This single factor has a profound affect on the tonal characteristics and projection of the drum. Thin shells (4 ply, 5mm) enable relatively easy energy transfer from the heads to the shells thus causing the shells to vibrate. This vibration imparts a very rich "wood" tone to the overall sound that can be most appreciated in near-field applications

and especially in recording. Medium thick shells (6 ply, 7.5mm) have greater stiffness and resist energy transference from the heads. With less shell vibration, a trade-off is achieved: the sound is slightly "cooler" than thinner shells but projection is greater. Drums made to this thickness are ideal for general-purpose applications and / or situations requiring more "horsepower." Thick shells (8 ply, 10mm and 10 ply, 12.5mm) are extremely "efficient" and allow most of the player's energy to be focused to the audience. These drums are ideal for coliseum-type venues and other applications requiring high sound pressure levels. Snare drums made in these thickness rival metal snare drums in intensity and projection. It would be great if everyone had the budget and the space to own "one of everything." However, as this is not the case, drummers must choose sizes that offer the greatest versatility and flexibility for their musical style or requirements. For greatest versatility, rack toms with depths between "standard" sizes (8x12, 9x13, etc.) and "power" sizes (10x12, 11x13, etc.) should be considered. Shallower depths offer very good sensitivity (the ability to play quietly while allowing the bottom heads to respond for full tone). Deeper toms have greater low-end tuning range but require more energy to "activate" the bottom heads. Sizes such as the Masterworks Alternative depths (9x12, 10x13, etc.) offer both great sensitivity and wide tuning range.


WOOD and FREQUENCY RESPONSE



Features slightly boosted lows with smooth mid and high frequencies. Ideal for all around applications.




Features boosted high frequencies, slightly reduced mids, and a good low end punch. Ideal for applications requiring extra presence and cut.



Features extremely rich low end frequencies, with beautifully smooth mids and a slight roll-off in the higher frequencies. Ideal for applications requiring ultimate "bottom" and punch.


SHELL THICKNESS vs. SOUND

Thin




Thin shells (4 ply, 5mm) enable relatively easy energy transfer from the heads to the shells, thus causing the shells to vibrate. This vibration imparts a very rich "wood" tone to the overall sound that can be most appreciated in near-field application and especially in recording.

Medium



Medium thickness shells (6 ply, 7.5mm) have greater stiffness and resist energy transference from the heads. With less shell vibration, a trade-off is achieved: the sound is slightly "cooler" than thinner shells but projection is greater. Drums made to this thickness are ideal for general-purpose applications and/or situations requiring more "horsepower."

Thick



Thick shells (8 ply, 10mm and 10 ply 12.5mm) are extremely "efficient" and allow most of the player's energy to be focused to the audience. These drums are ideal for coliseum-type venues and other applications requiring high sound pressure levels.

P R I C E L I S T

Masterworks Standard Features:

- Choice of Maple, Birch, or African Mahogany Shells
- Choice of shell thickness per availability chart: 4 ply 5mm; 6 ply 7.5mm; 8 ply 10mm; 10 ply 12.5mm
- Choice of Super High Gloss Lacquer Finishes
- Choice of SuperHoop II or Die Cast Hoops
- Choice Black Chrome Plated; 24K Gold; or Chrome Plated Hardware

Artisan Standard Features:

- Choice of Maple, Birch, or African Mahogany Shells
- Choice of shell thickness per availability chart: 4 ply 5mm; 6 ply 7.5mm; 8 ply 10mm; 10 ply 12.5mm
- Choice of Tamo Wood, Bubinga, or Burl Mahogany Outer Veneers
- Choice of Black Chrome Plated; 24K Gold; or Chrome Plated Hardware

Snare Drums

Size	Model	MASTERWORKS	Model	ARTISAN SERIES
4"x10"	SD4010	\$700	ASD4010	\$810
5.5"x10"	SD5510		ASD5510	
6.5"x10"	SD6510		ASD6510	
4"x12"	SD4012	\$735	ASD4012	\$850
5.5"x12"	SD5512		ASD5512	
6.5"x12"	SD6512		ASD6512	
4"x13"	SD4013	\$775	ASD4013	\$885
5.5"x13"	SD5513		ASD5513	
6.5"x13"	SD6513		ASD6513	
4"x14"	SD4014	\$920	ASD4014	\$1,030
5.5"x14"	SD5514		ASD5514	
6.5"x14"	SD6514		ASD6514	
5.5"x14"	SD5514M1*	\$1,650	-	-
6.5"x14"	SD6514M1*		-	

- CL-100 Bridge Lugs with Brass Receivers (shells 6.5+ deep)
 - CL-55/65 Lugs with Brass Receivers (shells 5" to 6.5" deep)
 - TB-50/55/65 Tube Lugs (shells 5", 5.5", and 6.5" deep)**
 - CL-05 Lugs with Brass Receivers (shells 3" to 4" deep)
 - Stainless Steel Tension Rods
 - SR-017 Vertical Pull; SR-015 Gladstone-style; or SR-020 Multi-Trace Strainer (shells 5+ deep)
 - SR-018 Vertical Pull Strainer (shell 3" to 4" deep)
 - "50th Anniversary" Air Vent
 - Exclusive Masterworks Badge
- * 1ply Maple Shell
** For tube lugs add \$80 per drum

Bass Drums

Size	Model	MASTERWORKS	Model	ARTISAN SERIES
10"x18"	BD1018	\$1,840	ABD1018	\$2,090
11"x18"	BD1118		ABD1118	
12"x18"	BD1218		ABD1218	
13"x18"	BD1318		ABD1318	
14"x18"	BD1418		ABD1418	
15"x18"	BD1518		ABD1518	
16"x18"	BD1618		ABD1618	
17"x18"	BD1718		ABD1718	
18"x18"	BD1818		ABD1818	
10"x20"	BD1020	\$2,000	ABD1020	\$2,300
11"x20"	BD1120		ABD1120	
12"x20"	BD1220		ABD1220	
13"x20"	BD1320		ABD1320	
14"x20"	BD1420		ABD1420	
15"x20"	BD1520		ABD1520	
16"x20"	BD1620		ABD1620	
17"x20"	BD1720		ABD1720	
18"x20"	BD1820		ABD1820	
10"x22"	BD1022	\$2,260	ABD1022	\$2,580
11"x22"	BD1122		ABD1122	
12"x22"	BD1222		ABD1222	
13"x22"	BD1322		ABD1322	
14"x22"	BD1422		ABD1422	
15"x22"	BD1522		ABD1522	
16"x22"	BD1622		ABD1622	
17"x22"	BD1722		ABD1722	
18"x22"	BD1822		ABD1822	
10"x24"	BD1024	\$2,340	ABD1024	\$2,690
11"x24"	BD1124		ABD1124	
12"x24"	BD1224		ABD1224	
13"x24"	BD1324		ABD1324	
14"x24"	BD1424		ABD1424	
15"x24"	BD1524		ABD1524	
16"x24"	BD1624		ABD1624	
17"x24"	BD1724		ABD1724	
18"x24"	BD1824		ABD1824	
10"x26"	BD1026	\$2,480	ABD1026	\$2,840
11"x26"	BD1126		ABD1126	
12"x26"	BD1226		ABD1226	
13"x26"	BD1326		ABD1326	
14"x26"	BD1426		ABD1426	
15"x26"	BD1526		ABD1526	
16"x26"	BD1626		ABD1626	

- CL-250 Bridge Lugs with Brass Receivers
- D-055 Recessed Die Cast Claws with Rubber "Hoop Savers"
- 2" Wide Wood Hoops
- Stainless Steel Tension Rods
- SP-30 Spurs
- "50th Anniversary" Air Vent
- BB-3 Bracket Installed (not applicable on 4 ply shells)
- Exclusive Masterworks Badge

Snare Drum Shell Selection Guide

Diameter	Plies (✓ Maple ✓ Birch ✓ Mahogany)				
	1 ply 7.5mm	4 ply 5mm	6 ply 7.5mm	8 ply 10mm	10 ply 12.5mm
10"	-	✓✓✓	✓✓✓	✓✓✓	-
12"	-	✓✓✓	✓✓✓	✓✓✓	-
13"	-	✓✓✓	✓✓✓	✓✓✓	-
14"	✓	✓✓✓	✓✓✓	✓✓✓	✓✓✓

Bass Drum Shell Selection Guide

Diameter	Plies (✓ Maple ✓ Birch ✓ Mahogany)			
	4 ply 5mm	6 ply 7.5mm	8 ply 10mm	10 ply 12.5mm
18"	✓✓✓	✓✓✓	✓✓✓	✓✓✓
20"	✓✓✓	✓✓✓	✓✓✓	✓✓✓
22"	✓✓✓	✓✓✓	✓✓✓	✓✓✓
24"	✓✓✓	✓✓✓	✓✓✓	✓✓✓
26"	✓✓✓	✓✓✓	-	-

P R I C E L I S T

Toms

Size	Model	MASTERWORKS	Model	ARTISAN SERIES
7"x8"	TT0708	\$790	ATT0708	\$890
8"x8"	TT0808		ATT0808	
7"x10"	TT0710	\$850	ATT0710	\$970
8"x10"	TT0810		ATT0810	
9"x10"	TT0910		ATT0910	
10"x10"	TT1010		ATT1010	
7"x12"	TT0712	\$880	ATT0712	\$1,010
8"x12"	TT0812		ATT0812	
9"x12"	TT0912		ATT0912	
10"x12"	TT1012		ATT1012	
11"x12"	TT1112		ATT1112	
12"x12"	TT1212		ATT1212	
7"x13"	TT0713	\$940	ATT0713	\$1,080
8"x13"	TT0813		ATT0813	
9"x13"	TT0913		ATT0913	
10"x13"	TT1013		ATT1013	
11"x13"	TT1113		ATT1113	
12"x13"	TT1213		ATT1213	
13"x13"	TT1313		ATT1313	
7"x14"	TT0714	\$1,030	ATT0714	\$1,180
8"x14"	TT0814		ATT0814	
9"x14"	TT0914		ATT0914	
10"x14"	TT1014		ATT1014	
11"x14"	TT1114		ATT1114	
12"x14"	TT1214		ATT1214	
13"x14"	TT1314		ATT1314	
7"x15"	TT0715	\$1,150	ATT0715	\$1,300
8"x15"	TT0815		ATT0815	
9"x15"	TT0915		ATT0915	
10"x15"	TT1015		ATT1015	
11"x15"	TT1115		ATT1115	
12"x15"	TT1215		ATT1215	
13"x15"	TT1315		ATT1315	
7"x16"	TT0716	\$1,200	ATT0716	\$1,370
8"x16"	TT0816		ATT0816	
9"x16"	TT0916		ATT0916	
10"x16"	TT1016		ATT1016	
11"x16"	TT1116		ATT1116	
12"x16"	TT1216		ATT1216	
13"x16"	TT1316		ATT1316	
14"x16"	TT1416	ATT1416		
15"x16"	TT1516	ATT1516		
16"x16"	TT1616	ATT1616		

- Choice of SuperHoop II or Die Cast Hoops
- Choice of Chrome, 24K Gold Plated, or Black Chrome Plated Hardware
- CL-100 Bridge Lugs with Brass Receivers
- Stainless Steel Tension Rods
- OptiMount Suspension System
- "50th Anniversary" Air Vent
- Exclusive Masterworks Badge

Floor Toms

Size	Model	MASTERWORKS	Model	ARTISAN SERIES
7"x14"	FT0714	\$1,200	AFT0714	\$1,370
8"x14"	FT0814		AFT0814	
9"x14"	FT0914		AFT0914	
10"x14"	FT1014		AFT1014	
11"x14"	FT1114		AFT1114	
12"x14"	FT1214		AFT1214	
13"x14"	FT1314		AFT1314	
7"x15"	FT0715	\$1,240	AFT0715	\$1,420
8"x15"	FT0815		AFT0815	
9"x15"	FT0915		AFT0915	
10"x15"	FT1015		AFT1015	
11"x15"	FT1115		AFT1115	
12"x15"	FT1215		AFT1215	
13"x15"	FT1315		AFT1315	
7"x16"	FT0716	\$1,280	AFT0716	\$1,450
8"x16"	FT0816		AFT0816	
9"x16"	FT0916		AFT0916	
10"x16"	FT1016		AFT1016	
11"x16"	FT1116		AFT1116	
12"x16"	FT1216		AFT1216	
13"x16"	FT1316		AFT1316	
7"x18"	FT0718	\$1,460	AFT0718	\$1,680
8"x18"	FT0818		AFT0818	
9"x18"	FT0918		AFT0918	
10"x18"	FT1018		AFT1018	
11"x18"	FT1118		AFT1118	
12"x18"	FT1218		AFT1218	
13"x18"	FT1318		AFT1318	
14"x18"	FT1418	AFT1418		
15"x18"	FT1518	AFT1518		
16"x18"	FT1618	AFT1618		
17"x18"	FT1718	AFT1718		
18"x18"	FT1818	AFT1818		

- Choice of SuperHoop II or Die Cast Hoops
- Choice of Chrome, 24K Gold Plated, or Black Chrome Plated Hardware
- CL-100 Bridge Lugs with Brass Receivers
- Stainless Steel Tension Rods
- LB-40 Leg Brackets
- LG-40 Legs with Air Suspension Feet
- "50th Anniversary" Air Vent
- Extra Long 27" Legs (on floor toms 15" in depth and shorter)
- Exclusive Masterworks Badge

Tom Shell Selection Guide

Diameter	Ply (✓ Maple ✓ Birch ✓ Mahogany)			
	4 ply 5mm	6 ply 7.5mm	8 ply 10mm	10 ply 12.5mm
8"	✓✓✓	✓✓✓	—	—
10"	✓✓✓	✓✓✓	✓✓✓	—
12"	✓✓✓	✓✓✓	✓✓✓	—
13"	✓✓✓	✓✓✓	✓✓✓	—
14"	✓✓✓	✓✓✓	✓✓✓	✓✓✓
15"	✓✓✓	✓✓✓	✓✓✓	—
16"	✓✓✓	✓✓✓	✓✓✓	✓✓✓

Floor Tom Shell Selection Guide

Diameter	Ply (✓ Maple ✓ Birch ✓ Mahogany)			
	4 ply 5mm	6 ply 7.5mm	8 ply 10mm	10 ply 12.5mm
14"	✓✓✓	✓✓✓	✓✓✓	✓✓✓
15"	✓✓✓	✓✓✓	✓✓✓	—
16"	✓✓✓	✓✓✓	✓✓✓	✓✓✓
18"	✓✓✓	✓✓✓	✓✓✓	✓✓✓

O R D E R F O R M

TOM 1 form per drum required
(Make copies of the blank form for additional Toms)

• **Step 1.** Choose the **DEPTH** and **DIAMETER** of your tom. Please refer to the price list for available sizes.

_____ X _____
depth diameter

• **Step 2.** Choose the **TOTAL SHELL THICKNESS** of your TOM. Please refer to the Shell Selection Guide for available shell thickness.

- 4 ply, 5mm w/ 4 ply, 5mm reinforcement rings
- 6 ply, 7.5mm
- 8 ply, 10mm
- 10 ply, 12.5mm

• **Step 3.** Select from one of the following **WOOD** choices. If you prefer a blended shell, skip to **Step 4** below.

- all **Maple**
- all **Birch**
- all **Mahogany**

• **Step 4.** You can create a blended shell by specifying the type of wood and number of plies from the choices below. Remember, the maximum number of plies should match your choice in Step 2.

Blend....

Inside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Middle Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Outside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8
- Artisan* # of plies 2

*see Step 5 below.

• **Step 5.** Choose the **EXTERIOR FINISH**, Lacquer or Artisan wood veneers. Note: Artisan veneers are 2 plies, the veneer plus a carrier wood; burl mahogany veneers feature a mahogany carrier; all other veneers feature a maple carrier. Remember that the total number of plies should match your choice in Step 2.

Lacquer Finish

_____ specify finish _____

Choose a color from the featured colors on back of this guide and write it in the space above, or tape a swatch of a custom color here. Only 1 swatch required per kit for matching drums.

ARTISAN Outer Veneer

- Bubinga
- Burl Mahogany
- Red Burl Mahogany
- Tiger Wood
- Tamo
- Teal Tamo

• **Step 6.** Specify the following hardware options.

- | | | |
|---------------------------------------|--|------------------------------------|
| Hoops | Hardware Color | Mounting Bracket |
| <input type="checkbox"/> Die Cast | <input type="checkbox"/> Chrome Plated | <input type="checkbox"/> OptiMount |
| <input type="checkbox"/> SuperHoop II | <input type="checkbox"/> 24K Gold Plated | <input type="checkbox"/> I.S.S. |
| | <input type="checkbox"/> Black Nickel Plated | |

FLOOR TOM 1 form per drum required
(Make copies of the blank form for additional Floor Toms)

• **Step 1.** Choose the **DEPTH** and **DIAMETER** of your Floor Tom. Please refer to the price list for available sizes.

_____ X _____
depth diameter

• **Step 2.** Choose the **TOTAL SHELL THICKNESS** of your Floor Tom. Please refer to the Shell Selection Guide for available shell thickness.

- 4 ply, 5mm w/ 4 ply, 5mm reinforcement rings
- 6 ply, 7.5mm
- 8 ply, 10mm
- 10 ply, 12.5mm

• **Step 3.** Select from one of the following **WOOD** choices. If you prefer a blended shell, skip to **Step 4** below.

- all **Maple**
- all **Birch**
- all **Mahogany**

• **Step 4.** You can create a blended shell by specifying the type of wood and number of plies from the choices below. Remember, the maximum number of plies should match your choice in Step 2.

Blend....

Inside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Middle Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Outside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8
- Artisan* # of plies 2

*see Step 5 below.

• **Step 5.** Choose the **EXTERIOR FINISH**, Lacquer or Artisan wood veneers. Note: Artisan veneers are 2 plies, the veneer plus a carrier wood; burl mahogany veneers feature a mahogany carrier; all other veneers feature a maple carrier. Remember that the total number of plies should match your choice in Step 2.

Lacquer Finish

_____ specify finish _____

Choose a color from the featured colors on back of this guide and write it in the space above, or tape a swatch of a custom color here. Only 1 swatch required per kit for matching drums.

ARTISAN Outer Veneer

- Bubinga
- Burl Mahogany
- Red Burl Mahogany
- Tiger Wood
- Tamo
- Teal Tamo

• **Step 6.** Specify the following hardware options.

- | | |
|---------------------------------------|--|
| Hoops | Hardware Color |
| <input type="checkbox"/> Die Cast | <input type="checkbox"/> Chrome Plated |
| <input type="checkbox"/> SuperHoop II | <input type="checkbox"/> 24K Gold Plated |
| | <input type="checkbox"/> Black Nickel Plated |

ORDER FORM

BASS DRUM

1 form per drum required
(Make copies of the blank form for additional Bass Drums)

- **Step 1.** Choose the **DEPTH** and **DIAMETER** of your Bass Drum. Please refer to the price list for available sizes.

_____ X _____
depth diameter

- **Step 2.** Choose the **TOTAL SHELL THICKNESS** of your Bass Drum. Please refer to the Shell Selection Guide for available shell thickness.

- 4 ply, 5mm w/ 4 ply, 5mm reinforcement rings
- 6 ply, 7.5mm
- 8 ply, 10mm
- 10 ply, 12.5mm

- **Step 3.** Select from one of the following **WOOD** choices. If you prefer a blended shell, skip to **Step 4** below.

- all **Maple**
- all **Birch**
- all **Mahogany**

- **Step 4.** You can create a blended shell by specifying the type of wood and number of plies from the choices below. Remember, the maximum number of plies should match your choice in Step 2.

Blend....

Inside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Middle Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Outside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8
- Artisan* # of plies 2

*see Step 5 below.

- **Step 5.** Choose the **EXTERIOR FINISH**, Lacquer or Artisan wood veneers. Note: Artisan veneers are 2 plies, the veneer plus a carrier wood: burl mahogany veneers feature a mahogany carrier; all other veneers feature a maple carrier. Remember that the total number of plies should match your choice in Step 2.

Lacquer Finish

_____ specify finish

Choose a color from the featured colors on back of this guide and write it in the space above, or tape a swatch of a custom color here. Only 1 swatch required per kit for matching drums.

ARTISAN Outer Veneer

- Bubinga
- Burl Mahogany
- Red Burl Mahogany
- Tiger Wood
- Tamo
- Teal Tamo

- **Step 6.** Specify the following hardware options.

Hardware Color

- Chrome Plated
- 24K Gold Plated
- Black Nickel Plated

BB-3 Bracket Attached

- Yes*
- No

*applies to shells 6 ply and thicker.

SNARE DRUM

1 form per drum required
(Make copies of the blank form for additional Snare Drums)

- **Step 1.** Choose the **DEPTH** and **DIAMETER** of your Snare Drum. Please refer to the price list for available sizes.

_____ X _____
depth diameter

- **Step 2.** Choose the **TOTAL SHELL THICKNESS** of your Snare Drum. Please refer to the Shell Selection Guide for available shell thickness.

- 1 ply, 7.5mm (5½"x14" and 6½"x14" only)
- 4 ply, 5mm w/ 4 ply, 5mm reinforcement rings
- 6 ply, 7.5mm
- 8 ply, 10mm
- 10 ply, 12.5mm

- **Step 3.** Select from one of the following **WOOD** choices. If you prefer a blended shell, skip to **Step 4** below.

- all **Maple**
- all **Birch**
- all **Mahogany**

- **Step 4.** You can create a blended shell by specifying the type of wood and number of plies from the choices below. Remember, the maximum number of plies should match your choice in Step 2.

Blend....

Inside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Middle Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8

Outside Plies

- Maple # of plies 2 4 6 8
- Birch # of plies 2 4 6 8
- Mahogany # of plies 2 4 6 8
- Artisan* # of plies 2

*see Step 5 below.

- **Step 5.** Choose the **EXTERIOR FINISH**, Lacquer or Artisan wood veneers. Note: Artisan veneers are 2 plies, the veneer plus a carrier wood: burl mahogany veneers feature a mahogany carrier; all other veneers feature a maple carrier. Remember that the total number of plies should match your choice in Step 2.

Lacquer Finish

_____ specify finish

Choose a color from the featured colors on back of this guide and write it in the space above, or tape a swatch of a custom color here. Only 1 swatch required per kit for matching drums.

ARTISAN Outer Veneer

- Bubinga
- Burl Mahogany
- Red Burl Mahogany
- Tiger Wood
- Tamo
- Teal Tamo

- **Step 6.** Specify the following hardware options.

Hoops

- Die Cast
- SuperHoop II

Hardware Color


- Chrome Plated
- 24K Gold Plated
- Black Nickel Plated

The Masterworks Exterior Finish


MasterWorks Drums are truly custom and offer endless exterior finishing possibilities. The choices below represent just a few of our most popular techniques and color options. You will find Fades, Sunbursts, Grain-Thru Mists, Opaque Colors, Marbleized Finishes,

Satin Oil Burnishes and our Exotic Artisan Exterior Ply Finishes to help you choose a color and style that's right for you. If you don't see a color or style you like, simply send us a swatch of your favorite color and we'll do our best to match it.

MASTERWORKS LACQUER FINISHES



ARTISAN FINISHES



For more information about MasterWorks drums see any authorized Pearl dealer or write to: Pearl Corporation, MasterWorks Drum Info, 549 Metroplex Drive, Nashville, TN, 37211. You can also find us on the web at www.pearldrums.com. Prices and specifications are subject to change without notice. Printed 1-99 in the USA.



ITEM #MW199